

KATALOG PROIZVODA PRODUCT CATALOG



RETA

KATALOG PROIZVODA

PRODUCT CATALOG



Uvod

Zahvaljujemo na prilici da Vam predstavimo asortiman proizvoda tvrtke Reta d.o.o.

Naša specijalnost je proizvodnja žice i to prvenstveno paljene žice, proizvoda od žice, čavala i građevinskog okova za prozore i vrata. U ovom katalogu pronaći ćete detaljni prikaz artikala iz našeg proizvodnog programa te njihove pojedinačne specifikacije.

Reta je proizvodna (i prodajna) tvrtka koja na tržištu djeluje već više od 20 godina. Klient je oduvijek bio i trajno ostaje u središtu našeg fokusa. U poslovanju se od samog početka vodimo načelom da je jedini način stvaranja prave vrijednosti oslušivati stvarne potrebe kupaca i neprestano podizati ljestvicu kvalitete. Kontinuirano ulažemo u proizvodnju. Također, svakodnevno radimo na razvoju i širenju asortimana, pratimo trendove i uvodimo nove tehnologije.

Naše poslovne vrijednosti i načela pozicionirali su nas kao vodećeg proizvođača okova, brava i proizvoda od paljene žice u regiji. Kao potvrdu kvalitete i vrijednosti ističemo da Reta posjeduje CE 14 592 i EPAL certifikate za čavle. Naši proizvodi plasirani su u Sloveniji, BiH, Srbiji, Crnoj Gori i Makedoniji, ali su prepoznati i šire pa valja naglasiti da izvozimo i u zemlje izvan regionalnih okvira poput Njemačke.

Introduction

Thank you for the opportunity and privilege to introduce the product assortment offered by Reta ltd.

We specialize in producing wire, primarily annealed wire, wire products, nails and construction fittings for windows and doors. In this catalog you will find a detailed list of items from our product range together with their respective specifics.

Reta prides itself as a client focused manufacturing and trading company, successfully operating for more than 20 years now. Since the very beginning our business model has followed the principle that the only way to create something of true value is to pay attention to the buyers' real needs and keep raising the bar for quality. We constantly invest in our production processes. Also, we consistently work on developing and expanding our product range, follow the latest trends and introduce new technologies on a daily basis.

Our company values and business principles have made us the leading manufacturer of fittings, locks and annealed wire products in the region. Reta possesses CE 14 592 and EPAL certificates for nails, confirmation of quality and value. Reta products are sold in Slovenia, Bosnia and Herzegovina, Serbia, Montenegro and Macedonia, but are also renowned and exported outside the regional boundaries, for instance to Germany.

***Dobrodošli u
Reta svijet...***

Pristupačne cijene i osoblje koje je uvijek spremno pomoći kvalitetnim stručnim savjetom ili preporukom jamče ugodnu i korisnu kupovinu koja daje rezultate.

Pozivamo Vas da pregledate katalog i slobodno nas kontaktirate ako biste željeli saznati više detalja o nekom od naših proizvoda/sustava. Naš cilj je ispuniti zahtjeve kupca pružajući najbolju moguću uslugu po najboljoj cijeni. Veselimo se Vašem upitu.

Za više informacija, molimo posjetite našu web stranicu www.reta.hr.

Zahvaljujemo na Vašem vremenu i razmatranju.

S poštovanjem,

Reta d.o.o.

Affordable prices and approachable staff who are always ready to offer expert advice or recommendation guarantee a pleasant and useful shopping experience that is bound to produce results.

We invite you to browse the catalog, and if you would like more detailed specifications for any of the systems, feel free to contact us. We aim to meet the objective by giving the best possible service at the best price and we are looking forward to hear from you.

For more information, please visit our website www.reta.hr.

Thank you for taking time to consider us.

Sincerely,

Reta ltd.

A large, light blue, stylized globe graphic with a grid of latitude and longitude lines, positioned in the lower half of the page.

*Welcome to
Reta world...*

SADRŽAJ

PNEUMATSKI ALATI	8
Pištola za klamerice	12
Plinski pištolji	13
Rezervni dijelovi.....	16
Kompresori	19
MILWAUKEE ALATI	20
PILE	30
Pile Stark	31
PRIBOR ZA PAKIRANJE	36
INFO	39
Bilješke	42

CONTENTS


PNEUMATIC TOOLS.....	8
<i>Staples</i>	<i>12</i>
<i>Gas guns</i>	<i>13</i>
<i>Spare parts</i>	<i>16</i>
<i>Compressors</i>	<i>19</i>
MILWAUKEE TOOLS.....	20
SAWS	30
<i>Stark saws</i>	<i>31</i>
PACKAGING FITTINGS.....	36
INFO	39
<i>Notes.....</i>	<i>42</i>

LEGENDA / LEGEND

BOJA COLOR




PAKIRANJA PACKAGING




VRSTE ČAVALA TYPES OF NAILS





PUNJENJE MAGAZINE




NAGIB ČAVLA NAIL ANGLE



OTVOR OKA PLETIVA MESH SIZE




VISINA PLETIVA MESH HEIGHT



PROMJER ŽICE WIRE DIAMETER



CERTIFIKATI CERTIFICATES



Label certifies that the product meets essential requirements for consumer safety, health or the environment, as determined by the guidelines, or the EU regulations.










VRSTE OTVORA TYPES OF OPENINGS



OSTALO OTHER



OBRADE FINISHING



Epal palete su standardizirane palete, dimenzije 1200 x 800 x 144 mm

Epal pallets are standardized pallets with dimensions 1200 x 800 x 144 mm.



PNEUMATSKI ALATI
PNEUMATIC TOOLS



CN55



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
11-1/8" (283 mm)	5-1/8" (131 mm)	10-5/8" (270 mm)	2,50	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
25 - 57	2,1 - 3,2	5,0 - 5,7	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	



CN70



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
12-7/16" (315 mm)	5" (128 mm)	12-1/6" (306 mm)	3,50	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
45 - 70	2,3 - 2,9	5,7 - 7,0	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	



CN80



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
14-1/4" (362 mm)	5-3/16" (132 mm)	12-1/8" (307 mm)	3,70	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
50 - 83	2,5 - 3,3	6,0 - 7,5	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	





CN890S



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (kg/cm ²)
14-7/16" (344 mm)	5-1/16" (128 mm)	13" (298 mm)	3,3	5-7
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
45 - 90	2,5 - 3,8	5,5 - 7,7	glatki, uvijeni, ring smooth shank, screw, ring	150 - 300



CN100



Visina Height (mm)	Širina Width (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Kapacitet punjenja Load capacity (čavli/nails)
417	156	336	5,30	5-7	150-300



CN 565-S2



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(302 mm)	(127 mm)	(275 mm)	2,3	5 - 7	300

3515



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
320	330	2,90	max 8
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
38 - 70	2,3 - 3,1	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300



3539



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
370	388	4,50	max 8
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
45 - 90	2,5 - 3,4	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300



3731



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
130	120	1,50	5,0 - 8,0



PIŠTOLJ ZA KLAMERICE / STAPLE GUN



CN TA551A/16-11 (CE) / CN TA551A/16-11 (CE)



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
11-3/8" (288,5 mm)	3-1/4" (84 mm)	14" (356 mm)	2,2	max 8	1/4" - muška
Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity	
25 - 51	1,40 (0,055")	11,1	G	157 kom/pcs	

TA116-21-13 / TA116-22-9



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(152 mm)	(48 mm)	(237 mm)	1	5 - 7	150
Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(152 mm)	(48 mm)	(237 mm)	1	5 - 7	180

3426 / 3426



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity
280	345	2,2	max 8	25 - 50	1,40 x 1,65	11,7	G	140 kom/pcs

3727



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity
330	370	2,5	8,0	32 - 65	1,88 x 1,57	9-10	G	130 kom/pcs

GS-690RH Plinski / Gas


Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Punjenje Fuel cell	Kapacitet punjenja Capacity
382 mm	111 mm	379 mm	3,5	plin/gas/ccca 1100 (260°C)	cca 4500 kom/pcs

Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na plastici 210 Nail type- on plastics	Broj komada u šaržeru Number of pieces in the clip
70 - 90	2,9 - 3,3	6,8 - 7,5	glatki, uvijeni, ring smooth shank, screw, ring	32

MAX GS-738C LT Plinski za beton /Gas for concrete


Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Kapacitet punjenja Capacity
365 mm	124 mm	435 mm	3,7	42 kom/pcs

MAX RB441T vezač armature / Armature binder


Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Brzina Speed (sekunde)
(295 mm)	(120 mm)	(330 mm)	2,6	5 - 7	<0,7

Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 265-150	oko/about 4.000	10 x 10 do/up to 25 x 19	TW1061T TW1061T-EG TW1061T-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije AC battery charger AC kofer/suitcase

MAX RB 218



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(305 mm)	(105 mm)	(270 mm)	2,4	<1

Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 170-210	oko/about 3.000	10 x 10	TW898 TW898-EG TW898-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC914 battery charger JC914 kofer/case

MAX RB 398 S



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(305 mm)	(105 mm)	(290 mm)	2,4	<1

Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 120	oko/about 2.600	10 x 10 do/up to 19 x 16	TW898T TW898-EG TW898-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC914 battery charger JC914 kofer/case

MAX RB 611 T



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(302 mm)	(124 mm)	(353 mm)	2,5	1/2

Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 115-205	oko/about 4.000	5 x 5 do/up to 9 x 10	TW1061T TW1061T-EG TW1061T-PC TW1061T-S	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC925A battery charger JC925A

Čelična žica TW1061T / *Steel wire TW1061T*


Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs

 Galvansko cinčana žica TW1061T-EG / *Galvanized wire TW1061T-EG*


Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs

 Plastificirana žica TW1061T-PC / *Plasticized wire TW1061T-PC*


Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs





Balanser 2,0 - 4,0 kg
Balancer 2,0 - 4,0 kg



Balanser 4,0 - 6,0 kg
Balancer 4,0 - 6,0 kg



Nipla 1/4" vanjski navoj
Nipple 1/4" outer thread



Brza spojka 3/8" vanjski navoj
Quick clam 3/8" outer thread



Brza spojnica nipla 3/8" unutarnji
Quick clam nipple 3/8" inner thread



Brza spojnica 1/4" vanjski navoj
Quick clam 1/4" outer thread



Brza spojnica 3/8" vanjski navoj
Quick clam 3/8" outer thread



Brza spojnica 3/8" unutarnji navoj
Quick clam 3/8" inner thread



Spojnicica dvostrana Y 3/8" vanjski navoj
Double-ended Y clam 3/8" outer thread



Spojnicica dvostrana Y 3/8" unutarnji navoj
Double-ended Y clam 3/8" inner thread



Brza spojnicica sa oprugom muška
Quick clam with a spring, male



Brza spojnicica sa oprugom ženska
Quick clam with a spring, female



Spojnicica 1/4" dva vanjska navoja
Clam 1/4" two outer threads



Spojnicica 3/8" dva vanjska navoja
Clam 3/8" two outer threads



Nipla za crijevo 9 mm
Hose nipple 9 mm



Crijevo spiralno PA 10/8 mm 7,50 met navoj
Spiral hose PA 10/8 mm 7.50 meters





Ulje za podmazivanje pneumatskih alata
Oil for lubrication of pneumatic tools



Plin za pneumatske pištolje
Gas (fuel cell) for pneumatic tools



Zauljivač s manometrom i regula. pritiska
Lubricator with a pressure gauge and regulator



Pištolj za ispuhivanje zraka dugi
Air blow gun, long



Kompresor batni DP 412/24 VFL-24F
Compressor DP 412/24 VFL-24F


Motor Engine (KW)	Protok zraka Air flow (L/min)	Posuda Container (L)	Priključak Connection (V)
2,2	412	24	230

Kompresor klipni VB 410/50 IBL-50V
Compressor VB 410/50 IBL-50V


Motor Engine (KW)	Protok zraka Air flow (L/min)	Posuda Container (L)	Napon Voltage (V)	Težina Weight (kg)
2,2	412	24	230	47





MILWAUKEE ALATI
MILWAUKEE TOOLS



Set alata: SDS+ bušilica / bušilica-uvrtač
Tool set: SDS+ drill / drill driver

 Set uključuje / *Set includes:*

 M12 FPD 13 mm udarna bušilica / *M12 FPD 13 mm impact drill*

 M12 CH 1.1 J SDS bušači čekić / *M12 CH .1 J SDS hammer drill*

 2x akumulator M12 B6 / *2x battery M12 B6*

 C12 C 12 V punjač / *C12 C 12 V charger*

HD box

Set alata: udarni uvrtač / bušilica-uvrtač
Tool set: impact screw gun / screw gun-drill

 Set uključuje / *Set includes:*

 M12 FPD 13 mm udarna bušilica / *M12 FPD 13 mm impact drill*

 M12 FIDM18 1/4" hex 147 Nm udarni uvrtač / *M12 FIDM18 1/4" hex 147 Nm screw gun*

 SHOCKWAVE - 1/4" hex bitni nastavci (32 kom) / *SHOCKWAVE - 1/4" hex bits extensions*

2x M12 B4 12V 4.0 Ah

 REDLITHIUM-ION akumulator / *REDLITHIUM-ION battery*

 C12 C 12 V punjač / *C12 C 12 V charger*

 PACKOUT kofer / *PACKOUT suitcase*
Set alata: udarna bušilica / udarni uvrtač
Tool set: impact drill / impact screw gun

 Set uključuje / *Set includes:*

 M18 ONEPD2 udarna bušilica / *M18 ONEPD2 impact drill*

 (okretni moment 135 Nm) / *(torque 135 Nm)*

 M18 ONEID2 1/4" udarni uvrtač / *M18 ONEID2 1/4" impact screw gun*

 (okretni moment 226 Nm) / *(torque 226 Nm)*

 2x M18 B5 akumulatori / *2x M18 B5 battery*

 M12-18 FC brzi punjač / *M12-18 FC fast charger*

 HD BOX kofer / *HD BOX suitcase*
Set alata: SDS+ bušilica / kutna brusilica / udarni uvrtač / udarna bušilica
Tool set: SDS+ drill / angle grinder / impact screw gun / impact drill

 Set uključuje / *Set includes:*

 M18 FPD2-0 13 mm udarna bušilica / *M18 FPD2-0 13 mm impact drill*

 M18 FID2-0 udarni uvrtač / *M18 FID2-0 impact screw gun*

 M18 CHX-0 bušači čekić / *M18 CHX-0 hammer drill*

 M18 CAG125X-0 kutna brusilica / *M18 CAG 125X-0 angle grinder*

 3x 5 Ah akumulator / *3x 5 Ah battery*

 punjač / *charger*

 PACKOUT kolica / *PACKOUT cart*


Pištolj za zakovice / Rivet tool



Raspon zakovica <i>Rivet range</i> (mm)	Materijal zakovica <i>Material of rivets</i>
2,4 - 4,8	aluminij, čelik, nehrđajući čelik <i>aluminium, steel, stainless steel</i>

Pištolj za kartuče / Aluminum barrel caulk and adhesive gun kit



Snaga <i>Power</i> (N)
do/up to 1780

Pištolj za jednostruke klamerice / Brad nailer



Napon <i>Voltage</i> (V)	Kapacitet spremnika <i>Magazine capacity</i>	Dimenzije čavla <i>Nail dimensions</i> (")
18	110	5/8 - 2-1/8

Klamarica / Staple



Tip zakovica <i>Staple strip</i>	Širina zakovica <i>Staple width</i> (mm)	Dužina zakovica <i>Staple length</i> (mm)	Kapacitet spremnika <i>Magazine capacity</i>	Brzina ciklusa <i>Cycle rate</i> (min)
T50	11,4	6-14	89	140

Bušaći čekić SDS-Max / *SDS-Max rotary hammer*


Ulazna snaga <i>Input power</i> (W)	Broj udaraca pod opterećenjem <i>Number of impacts under load</i> (ud/min)	Energija udarca <i>Impact energy</i> (J)	Težina <i>Weight</i> (kg)
1300	2840	8,5	6,3

 C12 PN-0 čekić za čavle / *Palm nailer*


Maks. stopa udaranja <i>Max. percussion rate</i> (bpm)	Maks. veličina čavla <i>Max. nail size</i> (mm)	Energija puhanja <i>Blow energy</i> (J)	Težina <i>Weight</i> (kg)
2700	90	2,9	1,6

 SDS-MAX električni bušaći čekić K750 S
SDS-Max Rotary Hammer K750 S


Težina <i>Weight</i> (kg)	Snaga <i>Power</i> (W)	Kabel <i>Cable</i> (m)
6,3	1100	4

 SDS-MAX električni bušaći čekić K540 S
SDS-Max Rotary Hammer K540 S


Težina <i>Weight</i> (kg)	Snaga <i>Power</i> (W)	Kabel <i>Cable</i> (m)
8,2	1500	6

Kutna rezalica / Compact cut off tool



Težina Weight (kg)	Duljina Length (mm)	Dubina reza Depth of cut (mm)
1,1	226	do/up to 16,3

Kutna brusilica 125 mm / Angle grinder 125 mm



Težina Weight (kg)	Brzina Speed (okr/min rotation per minute)	Maks. dubina reza Max. depth of cut (mm)	Veličina osovine Shaft size
2,5	8500	33	M14

Kutna brusilica / Angle grinder



Veličina osovine Shaft size (")	Napon Voltage (V)
5/8-11	120

Cirkular / Circular saw



Promjer lista pile Saw blade diameter (mm)	Težina Weight (kg)	Maks. dubina reza Max. depth of cut (mm)	Brzina Speed (okr/min rotation per minute)
190	4	48	5000

Rezač kanalisa u zidovima 150 mm / Duct wall cutter 150 mm



Snaga Power (W)	Brzina Speed (okr/min rotation per minute)	Maks. dubina reza Max. depth of cut (mm)	Širina reza Width of cut (mm)	Težina Weight (kg)
1900	5800	45	45	6,6

Udarni stezač 1/2" / Impact wrench 1/2"



Kapacitet akumulatora Battery capacity (Ah)	Veličina izlazne osovine Output shaft size (")	Maks. okretni moment Max. torque (Nm)	Težina Weight (kg)
5,0	1/2	610	2,4

Udarni stezač 1" / Impact wrench 1"



Težina Weight (kg)	Brzina Speed (okr/min rotation per minute)	Broj udaraca Number of impacts (ud/min impact per minute)
5,9	1000-1650	1330-2450

Uvrtač za suhu gradnju / Drywall screw gun



Napon Voltage (V)	Težina Weight (kg)	Brzina Speed (rpm)
18	1,6	4500



Bušilica-uvrtač s izmjenjivim nastavcima Hammer drill driver with changeable extensions



Sadrži / Includes:
2x M12 B2 akumulatora / 2x M12 B2 battery
4x stezne glave / 4x clamping heads
punjač / charger
kofer / suitcase

Udarna bušilica / Drill driver



Maks. dubina bušenja u drvu Max. drilling depth in wood (mm)	Maks. dubina bušenja u čeliku Max. drilling depth in steel (mm)	Maks. dubina bušenja opeke Max. drilling depth in brick (mm)	Maks. broj udaraca Max. number of impacts (ud/min)	Maks. okretni moment Max. torque (Nm)	Težina Weight (kg)
35	13	13	0-25,500	44	1,5

SDS+ bušilica s usisavačem / SDS+ drill with vacuum cleaner



Sadrži / Includes:
M18 CHPX-M18 FUEL SDS+ 4.0 J bušači čekić
M18 CHPX-M18 FUEL SDS+ 4.0 J hammer drill
M18 CPDEX-M18 FUEL usisavač / M18 CPDEX-M18 FUEL vacuum cleaner
2x M18 B5 18 V 5.0 Ah akumulatora / 2x M18 B5 18 V 5.0 Ah battery
brzi punjač / fast charger
kofer / suitcase

Električni usisavač L-klasa / Electric vacuum cleaner L-class



Protok zraka Air flow (l/min)	Težina Weight (kg)	Snaga Power (W)	Kapacitet spremnika Tank capacity (L)
4500	14,5	1200	30

Lančana pila / Chainsaw



Brzina lanca Chain speed (m/s)	Težina Weight (kg)	Duljina nosača lanca Chain carrier length (cm)	Kapacitet akumulatora Battery capacity (Ah)
12,4	6,4	40	12,0

Recipročna pila/ Reciprocal saw



Maks. dubina reza u drvu Max. cutting depth in wood (mm)	Maks. dubina reza u čeliku Max. cutting depth in steel (mm)	Maks. dubina reza u aluminiju Max. cutting depth in aluminium (mm)	Maks. dubina reza u obojenom metalu Max. cutting depth in non-ferrous metal (mm)	Maks. dubina reza u metalnoj cijevi Max. cutting depth in metal pipe (mm)	Dužina udara Stroke length (mm)
300	20	25	25	150	28,6

Ubodna pila / Body grip jigsaw



Maks. kapacitet rezanja drveta Max. cutting capacity wood (mm)	Maks. kapacitet rezanja čelika Max. cutting capacity steel (mm)	Kapacitet nagiba Bevel capacity (°)	Težina Wight (kg)
100	10	45	2,8

Puhalo zraka / Battery blower



Volumen zraka Air volume (m ³ /min)	Brzina strujanja zraka Airflow speed (km/h)	Brzina ventilatora Fan speed (rpm)	Težina Wight (kg)
0-2,9	0-42,8	6-14	1,2

Alat za mješanje sa 180° ručkom / *Mud mixer with 180° handle*



Baterija Battery (Ah)	Ručka Handle (°)
5,0	180

Laserski mjerač udaljenosti 100 m / *Laser distance meter 100 m*



Maks. raspon Max. range (m)	Točnost Accuracy	Veličina ekrana Display size (mm)	Dimenzije Dimensions (mm)	Težina Weight (kg)
100	±1,5	31,5x40	113x48x31	0,14

Alkalna kontrolna kamera / *Alkaline inspection camera*



Ekran Display (mm)	Rezolucija Resolution (pixels)	Promjer kamere Camera diameter (mm)	Dužina kabla Cable length (m)	Težina Weight (kg)
65,8	320x240	9	0,914	0,5

LED reflektor / *Dual power flood light*



Jačina Strength (lumen)	Težina Weight (kg)	Rad Work (sati/hours)
1500	2,1	do/up to 20

Mekane radne rukavice / *Free-flex work gloves*



Električarski opasač / *Electrician's work belt*




Niskoprofilni ruksak / *Low-profile backpack*






PILE SAWS



Kružna pila za poprečni rez - štuc
Circular saw for transverse incision


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
200	3,2	30	60
210	2,4	30	30
250	3,2	30	40
300	3,2	30	48
350	3,5	30	54
400	3,8	30	60
450	4,2	30	72
500	4,2	30	72
600	5,2	40	80

Pile za ivericu i MDF / Saws for chipboard and MDF


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
320	4,4	65	60
350	3,5	30	108
350	4,4	30	72
360	4,4	65	72
360	4,6	65	72

Pile za višeliski stroj bez čistača / Multi-ripping TCT saw blades


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
250	3,2	40	20
250	3,2	50	20



Pila za uzdužni rez / Saw blades for longitudinal incision



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
250	3,2	30	20
300	3,2	30	24
350	3,5	30	32
350	3,5	30	28
400	3,8	30	36
400	4	2,8	36
450	4,2	30	40

Kružna pila za uzdužni rez sa trapezoidnim zubom Circular saw for longitudinal incision with trapezoidal tooth



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
250	3,2	2,2	20
250	3,2	2,2	24
300	3,2	2,2	24
300	3,2	2,2	28
350	3,5	2,5	28
350	3,5	2,5	32
400	3,8	2,8	32
400	3,8	2,8	36

Kružna pila predrezač za ivericu / Circular saw chipboard cutter



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
80	3,1-4,3	20	12
100	3,1-4,3	20	20
120	3,1-4,3	20/22	24
125	3,1-4,3	20/30/45	24
150	4,3-5,5	30/45	36
160	4,3-5,5	20/45/55	36
180	4,3-5,5	20/30	36
180	4,8-6,0	45	36
200	4,3-5,5	20/45/65	36
200	4,8-5,5	45	36
215	4,3-5,5	50	42
300	4,3-5,5	50	48
300	4,3-5,5	65	72

Predrezač za ivericu i drvo / Chipboard and wood cutter



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
250	3,2	2,2	20+4
300	3,2	2,2	24+4
350	3,8	2,5	30+6

Pile za višeliske strojeve / Multi-ripping saw blades


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth	Broj otvora na tijelu Number of body openings
250	2,6	80	16	2
250	3,2	40	20	4
250	3,2	50	20	4
250	3,2	70	20	4
250	3,2	80	20	4
250	4,0	70	20	4
250	4,0	80	20	4
300	3,2	70	24	4
300	3,2	80	24	4
300	3,2	30	24	4
300	4,0	75	24	4
350	3,5	85	20	4
350	3,8	80	30	6
350	3,8	70	30	6
380	4,0	70	30	6
400	4,0	70	28	6

Kružne pile za metal / Circular saws for metal


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
275	2,5	32	220
315	2,5	32	240
350	2,5	32	220
350	2,5	50	240
400	3,5	50	320

Kružne pile za PVC/aluminij / Circular saws for PVC/aluminium


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
160	4,3	55	36
216	2,4	30	64
400	4,0	32	120



Tračne pile za metal / *Band saws for metal*




Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
27	0,9	6/10	2825
27	0,9	8/12	2825
27	0,9	4/6	2825
41	1,3	6/10	6400
41	1,3	4/6	6400

Sabljasta pila za drvo i metal / *Saber saw for wood and metal*



Noževi za blanje HS / *Planer knives HS*



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)
HS 1080	30	3
HSS 1080	30	3
HS 1080	35	3

Glodalo sa izmjenjivim pločicama za cink spoj *Modular finger jointing cutter system*



Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
129 (160)	30,4	40 (-50)	4
129 (160)	30,4	40 (-50)	6
218 (250)	30,4	40 (-60)	6
218 (250)	30,4	40 (-60)	8
218 (250)	30,4	40 (-60)	10
218 (250)	30,4	40 (-60)	12
218 (250)	30,4	40 (-60)	14
218 (250)	30,4	40 (-60)	16

Glave sa izmijenjivim pločicama za blanjalicu / Helical planing cutter head


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth	Broj spirala Number of spiral
70	80	25	14	4
80	80	30 (-35)	14	4
100	100	30 (-40)	18	4
125	100	40 (-60)	18	4
125	130	40 (-60)	22	4
125	180	40 (-60)	32	4
125	230	40 (-60)	40	4
125	100	40 (-60)	27	6
125	130	40 (-60)	33	6
125	180	40 (-60)	48	6
125	230	40 (-60)	60	6
140	100	40 (-60)	27	6
140	130	40 (-60)	33	6
140	180	40 (-60)	48	6
140	230	40 (-60)	60	6
140	100	40 (-60)	36	8
140	130	40 (-60)	44	8
140	180	40 (-60)	64	8
140	230	40 (-60)	80	8

Noževi za blanje širine 30 i 35 mm / Planing head width 30 and 35 mm


Promjer Diameter (mm)	Debljina reza Thickness of cut (mm)	Promjer rupe Hole diameter (mm)	Broj zubi Number of teeth
100	100	40	2
100	170	40	2
100	180	40	2
100	100	40	4
100	170	40	4
100	180	40	4
120	120	40 (-50)	4
120	140	40 (-50)	4
120	180	40 (-50)	4
120	220	40 (-50)	4
120	230	40 (-50)	4
125	80	40 (-50)	4
125	100	40 (-50)	4
125	120	40 (-50)	4
125	130	40 (-50)	4
125	150	40 (-50)	4
125	160	40 (-50)	4
125	170	40 (-50)	4
125	180	40 (-50)	4
125	190	40 (-50)	4
125	230	40 (-50)	4
125	240	40 (-50)	4
125	250	40 (-50)	4
140	80	40 (-50)	4
140	130	40 (-50)	4
140	160	40 (-50)	4
140	180	40 (-50)	4
140	230	40 (-50)	4
140	250	40 (-50)	4






PRIBOR ZA PAKIRANJE
PACKAGING FITTINGS



Trake / Tapes


Naziv Name	Tip Type	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
Cord	Pletena Woven	16 mm	850
		19 mm	600




Naziv Name	Boja Color	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
Polipak	Crna Black	12,00 x 0,55 mm	2500
		16,00 x 0,70 mm	1800
Polipak Tewe	Crna Black	16,00 x 0,73 mm 406/145	2000
		16,00 x 0,90 mm 406/145	1400



Naziv Name	Boja Color	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
American duct	Crna / Black	10 m/50 mm	30
	Crna / Black	25 m/50 mm	24
	Crna / Black	50 m/50 mm	24
	Srebrna / Silver	10 m/50 mm	30
	Srebrna / Silver	25 m/50 mm	24
	Srebrna / Silver	50 m/50 mm	24



Naziv Name	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
Obostrano ljepljiva na foliji Foil adhesion on both sides	5 m/50 mm	52
	10 m/50 mm	48
	25 m/50 mm	24



Naziv Name	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
Čelična Steel	16,00 x 0,50 mm	20
	32,00 x 0,80 mm	40



Spojnice / Fasteners



Naziv Name	Dimenzija Dimension	Pakiranje (kom) Packaging (pcs)
Spojnica za cord traku Fastener for cord tape	19 mm	1000
Spojnica za polipak traku Fastener for Polipak tape	13 mm	4000
	16 mm	2000

Folije / Foil



Naziv Name	Pakiranje (kom) Packaging (pcs)
Strech ručna 500/0 023 Stretch by hand 500/0 023	5

Aparat za PP traku / Tool for Polipak tape



Naziv Name	Dimenzija Dimension
Aparat za PP traku Tool for Polipak tape	16 mm XL 16

Klamerice / Staplers



Naziv Name
Ručna klamerica HT-K Hand stapler

HTZ oprema / Safety equipment



RADNA ODJEĆA | KIŠNI PROGRAM | ZAŠTITA RUKU | ZAŠTITA NOGU | ZAŠTITA OČIJU
| VARILAČKI PROGRAM | ZAŠTITA DIŠNIH ORGANA | JEDNOKRATNI PROGRAM
WORKWEAR | RAIN ASSORTMENT | HAND PROTECTION | FEET PROTECTION | EYE PROTECTION |
WELDING ASSORTMENT | RESPIRATORY PROTECTION | DISPOSABLE PROTECTION ASSORTMENT



Ručni električni alat / Power tools



Pribor za rezanje, bušenje, varenje

Cutting, drilling, welding accessories







Reta d.o.o.
Zagrebačka ulica 15K
47 000 Karlovac

Odjel metala
047 637 751
091 424 1113

Odjel građevine
047 638 210
091 637 1112

Odjel maloprodaje
047 638 220
099 323 9562

www.reta.hr



Naši proizvodi za Vaš uspjeh



Reta d.o.o.

Zagrebačka 15K, 47 000 Karlovac
T: +385 (47) 638 220

Kontakt veleprodaja metali:
metali@reta.hr

Kontakt veleprodaja građevina:
gradjevina@reta.hr