

KATALOG PROIZVODA PRODUCT CATALOG



RETA

KATALOG PROIZVODA

PRODUCT CATALOG



Uvod

Zahvaljujemo na prilici da Vam predstavimo asortiman proizvoda tvrtke Reta d.o.o.

Naša specijalnost je proizvodnja žice i to prvenstveno paljene žice, proizvoda od žice, čavala i građevinskog okova za prozore i vrata. U ovom katalogu pronaći ćete detaljni prikaz artikala iz našeg proizvodnog programa te njihove pojedinačne specifikacije.

Reta je proizvodna (i prodajna) tvrtka koja na tržištu djeluje već više od 20 godina. Klient je oduvijek bio i trajno ostaje u središtu našeg fokusa. U poslovanju se od samog početka vodimo načelom da je jedini način stvaranja prave vrijednosti oslušivati stvarne potrebe kupaca i neprestano podizati ljestvicu kvalitete. Kontinuirano ulažemo u proizvodnju. Također, svakodnevno radimo na razvoju i širenju asortimana, pratimo trendove i uvodimo nove tehnologije.

Naše poslovne vrijednosti i načela pozicionirali su nas kao vodećeg proizvođača okova, brava i proizvoda od paljene žice u regiji. Kao potvrdu kvalitete i vrijednosti ističemo da Reta posjeduje CE 14 592 i EPAL certifikate za čavle. Naši proizvodi plasirani su u Sloveniji, BiH, Srbiji, Crnoj Gori i Makedoniji, ali su prepoznati i šire pa valja naglasiti da izvozimo i u zemlje izvan regionalnih okvira poput Njemačke.

Introduction

Thank you for the opportunity and privilege to introduce the product assortment offered by Reta ltd.

We specialize in producing wire, primarily annealed wire, wire products, nails and construction fittings for windows and doors. In this catalog you will find a detailed list of items from our product range together with their respective specifics.

Reta prides itself as a client focused manufacturing and trading company, successfully operating for more than 20 years now. Since the very beginning our business model has followed the principle that the only way to create something of true value is to pay attention to the buyers' real needs and keep raising the bar for quality. We constantly invest in our production processes. Also, we consistently work on developing and expanding our product range, follow the latest trends and introduce new technologies on a daily basis.

Our company values and business principles have made us the leading manufacturer of fittings, locks and annealed wire products in the region. Reta possesses CE 14 592 and EPAL certificates for nails, confirmation of quality and value. Reta products are sold in Slovenia, Bosnia and Herzegovina, Serbia, Montenegro and Macedonia, but are also renowned and exported outside the regional boundaries, for instance to Germany.

***Dobrodošli u
Reta svijet...***

Pristupačne cijene i osoblje koje je uvijek spremno pomoći kvalitetnim stručnim savjetom ili preporukom jamče ugodnu i korisnu kupovinu koja daje rezultate.

Pozivamo Vas da pregledate katalog i slobodno nas kontaktirate ako biste željeli saznati više detalja o nekom od naših proizvoda/sustava. Naš cilj je ispuniti zahtjeve kupca pružajući najbolju moguću uslugu po najboljoj cijeni. Veselimo se Vašem upitu.

Za više informacija, molimo posjetite našu web stranicu www.reta.hr.

Zahvaljujemo na Vašem vremenu i razmatranju.

S poštovanjem,

Reta d.o.o.

Affordable prices and approachable staff who are always ready to offer expert advice or recommendation guarantee a pleasant and useful shopping experience that is bound to produce results.

We invite you to browse the catalog, and if you would like more detailed specifications for any of the systems, feel free to contact us. We aim to meet the objective by giving the best possible service at the best price and we are looking forward to hear from you.

For more information, please visit our website www.reta.hr.

Thank you for taking time to consider us.

Sincerely,

Reta ltd.

A large, light blue, stylized globe graphic with a grid of latitude and longitude lines, positioned in the lower half of the page.

*Welcome to
Reta world...*

SADRŽAJ

PNEUMATSKI ALATI	8
Pištola za klamerice	12
Plinski pištolji	13
Rezervni dijelovi.....	16
Kompresori	19
MILWAUKEE ALATI	20
PILE	30
Pile Stark	31
PRIBOR ZA PAKIRANJE	36
INFO	39
Bilješke	42

CONTENTS


PNEUMATIC TOOLS.....	8
<i>Staples</i>	<i>12</i>
<i>Gas guns</i>	<i>13</i>
<i>Spare parts</i>	<i>16</i>
<i>Compressors</i>	<i>19</i>
MILWAUKEE TOOLS.....	20
SAWS	30
<i>Stark saws</i>	<i>31</i>
PACKAGING FITTINGS.....	36
INFO	39
<i>Notes.....</i>	<i>42</i>

LEGENDA / LEGEND



BOJA COLOR





PAKIRANJA PACKAGING



VRSTE ČAVALA TYPES OF NAILS





PUNJENJE MAGAZINE




NAGIB ČAVLA NAIL ANGLE




OTVOR OKA PLETIVA MESH SIZE




VISINA PLETIVA MESH HEIGHT



PROMJER ŽICE WIRE DIAMETER



CERTIFIKATI CERTIFICATES




Label certifies that the product meets essential requirements for consumer safety, health or the environment, as determined by the guidelines, or the EU regulations.










VRSTE OTVORA TYPES OF OPENINGS



OSTALO OTHER



OBRADE FINISHING



Epal palete su standardizirane palete, dimenzije 1200 x 800 x 144 mm

Epal pallets are standardized pallets with dimensions 1200 x 800 x 144 mm.



PNEUMATSKI ALATI
PNEUMATIC TOOLS



CN55



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
11-1/8" (283 mm)	5-1/8" (131 mm)	10-5/8" (270 mm)	2,50	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
25 - 57	2,1 - 3,2	5,0 - 5,7	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	

CN70



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
12-7/16" (315 mm)	5" (128 mm)	12-1/6" (306 mm)	3,50	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
45 - 70	2,3 - 2,9	5,7 - 7,0	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	

CN80



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
14-1/4" (362 mm)	5-3/16" (132 mm)	12-1/8" (307 mm)	3,70	max 8	1/4" - muška
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip	
50 - 83	2,5 - 3,3	6,0 - 7,5	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300	



CN890S



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (kg/cm ²)
14-7/16" (344 mm)	5-1/16" (128 mm)	13" (298 mm)	3,3	5-7
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
45 - 90	2,5 - 3,8	5,5 - 7,7	glatki, uvijeni, ring smooth shank, screw, ring	150 - 300



CN100



Visina Height (mm)	Širina Width (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Kapacitet punjenja Load capacity (čavli/nails)
417	156	336	5,30	5-7	150-300



CN 565-S2



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(302 mm)	(127 mm)	(275 mm)	2,3	5 - 7	300

3515



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
320	330	2,90	max 8
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
38 - 70	2,3 - 3,1	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300

3539



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
370	388	4,50	max 8
Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Tip čavla - na žici Nail type - on a wire	Broj komada u šaržeru Number of pieces in the clip
45 - 90	2,5 - 3,4	glatki, uvijeni, ring smooth shank, screw, ring	250 - 300

3731



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)
130	120	1,50	5,0 - 8,0



PIŠTOLJ ZA KLAMERICE / STAPLE GUN



CN TA551A/16-11 (CE) / CN TA551A/16-11 (CE)



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Tip spojnice Clams type
11-3/8" (288,5 mm)	3-1/4" (84 mm)	14" (356 mm)	2,2	max 8	1/4" - muška
Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity	
25 - 51	1,40 (0,055")	11,1	G	157 kom/pcs	

TA116-21-13 / TA116-22-9



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(152 mm)	(48 mm)	(237 mm)	1	5 - 7	150
Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Zapremnina Load capacity
(152 mm)	(48 mm)	(237 mm)	1	5 - 7	180

3426 / 3426



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity
280	345	2,2	max 8	25 - 50	1,40 x 1,65	11,7	G	140 kom/pcs

3727



Visina Height (mm)	Dužina Length (mm)	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Dužina klamerice Staple length (mm)	Debljina klamerice Staple thickness (mm)	Širina klamerice Staple width (mm)	Tip klamerice Staple type	Kapacitet punjenja Capacity
330	370	2,5	8,0	32 - 65	1,88 x 1,57	9-10	G	130 kom/pcs

GS-690RH Plinski / Gas



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Punjenje Fuel cell	Kapacitet punjenja Capacity
382 mm	111 mm	379 mm	3,5	plin/gas/ccca 1100 (260°C)	cca 4500 kom/pcs

Dužina čavla Nail length (mm)	Promjer čavla Nail diameter (mm)	Dimenzija glave čavla Nail head dimensions (mm)	Tip čavla - na plastici 210 Nail type- on plastics	Broj komada u šaržeru Number of pieces in the clip
70 - 90	2,9 - 3,3	6,8 - 7,5	glatki, uvijeni, ring smooth shank, screw, ring	32

MAX GS-738C LT Plinski za beton /Gas for concrete



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Kapacitet punjenja Capacity
365 mm	124 mm	435 mm	3,7	42 kom/pcs

MAX RB441T vezač armature / Armature binder



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Preporučeni radni tlak Recommended operating pressure (bar)	Brzina Speed (sekunde)
(295 mm)	(120 mm)	(330 mm)	2,6	5 - 7	<0,7

Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 265-150	oko/about 4.000	10 x 10 do/up to 25 x 19	TW1061T TW1061T-EG TW1061T-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije AC battery charger AC kofer/suitcase



MAX RB 218



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(305 mm)	(105 mm)	(270 mm)	2,4	<1
Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 170-210	oko/about 3.000	10 x 10	TW898 TW898-EG TW898-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC914 battery charger JC914 kofer/case



MAX RB 398 S



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(305 mm)	(105 mm)	(290 mm)	2,4	<1
Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 120	oko/about 2.600	10 x 10 do/up to 19 x 16	TW898T TW898-EG TW898-PC	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC914 battery charger JC914 kofer/case



MAX RB 611 T



Visina Height	Širina Width	Dužina Length	Težina Weight (kg)	Brzina Speed (sekunde)
(302 mm)	(124 mm)	(353 mm)	2,5	1/2
Namotaji žice Ties per coil	Punjenje Ties per charge	Veličina armature Rebar size (mm)	Žica Tie wire	Dodaci Accessories
oko/about 115-205	oko/about 4.000	5 x 5 do/up to 9 x 10	TW1061T TW1061T-EG TW1061T-PC TW1061T-S	pakiranje baterija JPL91440A battery package JPL91440A punjač baterije JC925A battery charger JC925A

Čelična žica TW1061T / *Steel wire TW1061T*



Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs

 Galvansko cinčana žica TW1061T-EG / *Galvanized wire TW1061T-EG*


Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs

 Plastificirana žica TW1061T-PC / *Plasticized wire TW1061T-PC*


Debljina Thickness	Punjnje po kutiji Capacity per box
1 mm	30 kom/pcs





Balanser 2,0 - 4,0 kg
Balancer 2,0 - 4,0 kg



Balanser 4,0 - 6,0 kg
Balancer 4,0 - 6,0 kg



Nipla 1/4" vanjski navoj
Nipple 1/4" outer thread



Brza spojka 3/8" vanjski navoj
Quick clam 3/8" outer thread



Brza spojnica nipla 3/8" unutarnji
Quick clam nipple 3/8" inner thread



Brza spojnica 1/4" vanjski navoj
Quick clam 1/4" outer thread



Brza spojnica 3/8" vanjski navoj
Quick clam 3/8" outer thread



Brza spojnica 3/8" unutarnji navoj
Quick clam 3/8" inner thread



Spojnicica dvostrana Y 3/8" vanjski navoj
 Double-ended Y clam 3/8" outer thread



Spojnicica dvostrana Y 3/8" unutarnji navoj
 Double-ended Y clam 3/8" inner thread



Brza spojnicica sa oprugom muška
 Quick clam with a spring, male



Brza spojnicica sa oprugom ženska
 Quick clam with a spring, female



Spojnicica 1/4" dva vanjska navoja
 Clam 1/4" two outer threads



Spojnicica 3/8" dva vanjska navoja
 Clam 3/8" two outer threads



Nipla za crijevo 9 mm
 Hose nipple 9 mm



Crijevo spiralno PA 10/8 mm 7,50 met navoj
 Spiral hose PA 10/8 mm 7.50 meters





Ulje za podmazivanje pneumatskih alata
Oil for lubrication of pneumatic tools



Plin za pneumatske pištolje
Gas (fuel cell) for pneumatic tools



Zauljivač s manometrom i regula. pritiska
Lubricator with a pressure gauge and regulator



Pištolj za ispuhivanje zraka dugi
Air blow gun, long



Kompresor batni DP 412/24 VFL-24F
Compressor DP 412/24 VFL-24F


Motor Engine (KW)	Protok zraka Air flow (L/min)	Posuda Container (L)	Priključak Connection (V)
2,2	412	24	230

Kompresor klipni VB 410/50 IBL-50V
Compressor VB 410/50 IBL-50V


Motor Engine (KW)	Protok zraka Air flow (L/min)	Posuda Container (L)	Napon Voltage (V)	Težina Weight (kg)
2,2	412	24	230	47






Reta d.o.o.
Zagrebačka ulica 15K
47 000 Karlovac

Odjel metala
047 637 751
091 424 1113

Odjel građevine
047 638 210
091 637 1112

Odjel maloprodaje
047 638 220
099 323 9562

www.reta.hr



Naši proizvodi za Vaš uspjeh



Reta d.o.o.

Zagrebačka 15K, 47 000 Karlovac
T: +385 (47) 638 220

Kontakt veleprodaja metali:
metali@reta.hr

Kontakt veleprodaja građevina:
gradjevina@reta.hr