

KATALOG PROIZVODA PRODUCT CATALOG



RETA

Stup M / M post

RAL 6005 RAL 7016



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)
1500	50 x 50	2,00
1730		
2000		
2430		

Dimenzija profila prema upitu: 60x60 / Cross-section dimensions on inquiry: 60x60

Stup M s čeličnom bazom / M post with a steel base

RAL 6005 RAL 7016 RAL 9010



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)	Dimenzija stope Foot dimension (mm)
630	50 x 50	1,5	100 x 100 x 5
830			
1030			
1230			
1530			
1730			
2030			

Dimenzija profila prema upitu: 60x60 / Cross-section dimensions on inquiry: 60x60

Stup Hercules / Hercules post

RAL 6005



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)
1050	60 x 40	1,50
1250		
1550		
1750		
2050		
2350		
2550		

Stup Quickfix / Quickfix post

RAL 6005



Visina stupa Post height (mm)	Promjer stupa Post diameter (mm)	Debljina lima Sheet metal thickness (mm)
700	48	1,20
900		
1100		
1300		
1500		
1850		
2000		
2350		
2500		

Stup Quickfix potporni / Quickfix support post

RAL 6005



Visina stupa Post height (mm)	Promjer stupa Post diameter (mm)	Debljina lima Sheet metal thickness (mm)
1200	40	1,20
1450		
1800		
2400		

"T"-stup / "T" post

RAL 6005



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)
1000	30 x 30	2,70
1200		
1450		
1750		
2000		

"T" Stup potporni / "T" support post

RAL 6005



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)
1000	25 x 25	3,0
1200		
1500		
2000		

Stup za vinograd Omega / Vineyard Omega post



Visina stupa Post height (mm)	Dimenzija profila Profile dimension (mm)	Debljina lima Sheet metal thickness (mm)
1500	60 x 40	1,50
1750		
2000		
2400		
2700		

Vrata Eco / Eco doors

RAL
6005

Dimenzije vrata (vxš) Door dimensions (h x w) (mm)	Otvor oka Mesh size (mm)	Promjer žice Wire diameter (mm)	Okvir vrata Door frame (mm)	Promjer stupa Post diameter (mm)
1000 x 1000	200 x 50	4,00	30	48
1200 x 1000				
1500 x 1000				

Vrata Residencial / Residencial doors

RAL
6005

Dimenzije vrata (vxš) Door dimensions (h x w) (mm)	Otvor oka Mesh size (mm)	Promjer žice Wire diameter (mm)	Okvir vrata Door frame (mm)	Promjer stupa Post diameter (mm)
1000 x 1000	100 x 50	4,00	48	48
1200 x 1000				
1500 x 1000				

Vrata M sa čeličnom bazom / M doors with a base

RAL
6005RAL
7016

Dimenzije vrata (vxš) Door dimensions (h x w) (mm)	Otvor oka Mesh size (mm)	Promjer žice Wire diameter (mm)	Okvir vrata Door frame (mm)	Promjer stupa Post diameter (mm)	Dimenzija stope Foot dimension (mm)
1000 x 1000	200 x 50	4,00	50 x 50 x 1,50	50 x 50 x 1,50	150x150
1200 x 1000					
1500 x 1000					

Inox spojnica
Stainless steel clams


Pogodne za pričvršćivanje ograde za Quick fix stup.
Suitable for fastening fences to a Quickfix post.

100
kom/pcsKliješta za inox spojnice
Pliers for stainless steel clams


Pričvršćivanje inox spojnice na Quickfix stup.
For fastening stainless steel clams to a Quickfix post.

Hercules spojnica
Hercules clams

Montaža na stup Hercules.
Mounting to a Hercules post.

RAL
6005Hercules ultrafix spojnica
Hercules ultrafix clamsRAL
6005Tračna spojnica
Rail clams

Montaža na stup Quickfix.
Mounting to a Quickfix post.

RAL
6005Spojnica M metalna
Metal M clams

Montaža na stup 50x50 ili 60x60.
Mounting to a 50x50 or 60x60 post.

RAL
6005RAL
7016

Spojnicica M poliamid 6,3 x 39
Polyamide M clams 6,3 x 39

Montaža na stup 50x50 ili 60x60.
Mounting to a 50x50 or 60x60 post.



Spojnicica M za panel sa jedne strane
Clams M for panels on one side



Spojnicica M kutna
Clams M for corners



Spojnicica M za panel sa dvije strane
Clams M for panels on two sides




Quickfix spojnice
Polyamide Quickfix clams

Montaža na stup Quickfix.
Mounting to a Quickfix post.



Spojnicica poliamid
Polyamide clams



Čelična tipla (sidreni vijak)
Steel throughbolt (anchor bolt)



Navoj M Thread M (mm)	Dužina L Length L (mm)
10	100
12	110

Baza za stup Quicfix (poliamid)
Base for the Quicfix post (Polyamide)

Postolje za montažu na niskom zidu.
Base for mounting onto a low wall.



Baza za stup Hercules
Base for the Hercules post

Postolje za montažu na niskom zidu.
Base for mounting onto a low wall.



Natezač za žicu
Wire strainer



Spojnicica poliamid Quickfix
Polyamide Quickfix clams



Baza betonska za mobilni panel
Concrete base for a mobile panel



Natezač za žicu bojani
Painted Wire strainer



Sigurnosna spojnicica za mobilni panel
Safety hinges for mobile panels



Čep za stup / Post cap



Tip Type	Dimenzije Dimensions (mm)
Metalni / Metal	40 x 40
Metalni / Metal	50 x 50
Metalni / Metal	60 x 60

Tip Type	Dimenzije Ø Dimensions Ø (mm)
Metalni / Metal	42
Metalni / Metal	48
Metalni / Metal	60

Tip Type	Dimenzije Dimensions (mm)
PVC	30 x 30
PVC	30 x 40
PVC	30 x 50
PVC	30 x 60
PVC	40 x 40
PVC	40 x 60
PVC	50 x 50
PVC	60 x 60

Tip Type	Dimenzije Ø Dimensions Ø (mm)
PVC	30
PVC	40
PVC	50

Zaštita od pogleda / Protection from view



190 mm	
1 kutija / 1 box	26 m
1 m ²	5 m
1 kutija / 1 box	5 m

48 mm	
1 kutija / 1 box	60 m
1 m ²	20 m
1 kutija / 1 box	2,5 m
1 kutija / 1 box	100 spojnica / 100 clips

HTZ oprema / Safety equipment



RADNA ODJEĆA | KIŠNI PROGRAM | ZAŠTITA RUKU | ZAŠTITA NOGU | ZAŠTITA OČIJU
 | VARILAČKI PROGRAM | ZAŠTITA DIŠNIH ORGANA | JEDNOKRATNI PROGRAM
 WORKWEAR | RAIN ASSORTMENT | HAND PROTECTION | FEET PROTECTION | EYE PROTECTION |
 WELDING ASSORTMENT | RESPIRATORY PROTECTION | DISPOSABLE PROTECTION ASSORTMENT



Naši proizvodi za Vaš uspjeh



Reta d.o.o.

Zagrebačka 15K, 47 000 Karlovac
T: +385 (47) 638 220

Kontakt veleprodaja metali:
metali@reta.hr

Kontakt veleprodaja građevina:
gradjevina@reta.hr